FEDERAL COMMUNICATIONS COMMISSION

CLASS	OF	STATION	, FM
-------	----	---------	------

DAT

		NUMBER	CALL	APPLICANT AND L	OCATION	NATURE OF A	APPLICATION	• -
MT	ВРН	-910926MB N/M	NEW 106.3MHZ	TOM SEABASE KALISPELL	MT	CP FOR NEW FM ON METERS (H&V)	: 106.3 MHZ,	ERP: 1.9 KW (H&V); HAAT: 126 48 10 34 114 20 53
						•	Do	nece Table
LICEN	ise ex	PIRATION E	ATE -				CHIEF, LICE	NSE DIVISION
RECO	MMEN	DATION: G	RANT()	CONSTRUCTION DA	TES, START	END		
CONT	ESTED	() UNCO	NTESTED	()				

APPROVED

FOR CHIEF, BROADCAST BUREAU

Approved by OMB 3060-0440 Expires 2/28/93

FEE PROCESSING FORM

FOR	FCCIMELLON SEP 26 1991	
FOR FCC		_
USE		
ONLY	09-27-91 8195865 007	

Please read instructions on back of this form before completing it. Section I MUST be completed. If you are applying for concurrent actions which require you to list more than one Fee Type Code, you must also complete Section II. This form must accompany all payments. Only one Fee Processing Form may be submitted per application or filing. Please type or print legibly. All required blocks must be completed or application/filing will be returned without action.

SECTION I			
APPLICANT NAME (Last, first, mic	idle initial)		1
Seabase,	Tom		
MAILING ADDRESS (Line 1) (Maxi P.O. Box		r to Instruction (2) on reverse	of form)
MAILING ADDRESS (Line 2) (if re	quired) (Maximum 35 cha	racters) (Co	
CITY Polson			1991
STATE OR COUNTRY (If foreign a	ddress) ZIP CODE	CALL SIGN OR OTHER	FCC IDENTIFIER (If applicable)
Montana	59860		
Enter in Column (A) the correct Fee Fee Filing Guides, Enter in Column (6) the value of the Fee Type Code in (A) FEE TYPE CODE M T R	3) the Fee Multiple, if applic	able. Enter in Column (C) the resu	
SECTION II -	To be used only when yo requirement to list more t	u are requesting concurrent action than one Fee Type Code.	s which result in a
(A) FEE TYPE CODE	(B) FEE MULTIPLE (if required)	(C) FEE DUE FOR FEE TYPE CODE IN COLUMN (A)	FOR FCC USE ONLY
(2)		\$	
(3)		\$	
(4)		\$	
(5)		\$	
ADD ALL AMOUNTS SHOWN IN COL THROUGH (5), AND ENTER THE TOT THIS AMOUNT SHOULD EQUAL YOU REMITTANCE.	AL HERE.	TOTAL AMOUNT REMITTED WITH THIS APPLICATION OR FILING	FOR FCC USE ONLY

W. LEE SIMMONS & ASSOC., INC.

BROADCAST TELECOMMUNICATIONS CONSULTANTS 1036 WILLIAM HILTON PARKWAY, SUITE 200F HILTON HEAD ISLAND, S.C. 29928

803-785-4445

September 25, 1991

Secretary, Federal Communications Commission 1919 M Street N.W. Washington D.C. 20554

Dear Sir,

Enclosed you will find the FCC form 301, an application for construction permit for Tom Seabase for channel 292A in Kalispell, Montana.

The fee of \$2030.00 is enclosed.

Sincerely yours,

W. Lee Simmons

106.3MHZ
BPH -910926MB NEW
KALISPELL MT
TOM SEABASE

FCC 301

Approved by OMB
3060-0027
Expires 2/28/92
See Page 25 for information
regarding public burden estimate

APPLICAT	10N FOR CONS	TRUCTION PERMIT	FOR COMM	ERCIAL BROADCAST	STATION	
For COMMISSION Fee	Use Only FEE	NO:		For APPLICANT Fee Us a fee submitted witapplication?	•	X Yes No
	FEE	TYPE		If fee exempt (see 47 indicate reason there.	C.F.R. Sect for (check	ion Lili2).
	FEE	AMT:		Noncommercial Governmental	entity	al licensee
	ID S	EQ:		FOR COMMISSION USE FILE NO. BOH-91		M B
Section 1 - GENE	RAL INFORMAT	ION			30/	12.9.91
1. Name of Applicant			1 1	ces and communications	to the fo	ollowing
Tom Seabase			Name	the address below:		
				n Seabase		
Street Address or P.O. P.O. Box 1407). Вох			dress or P.O. Box		
City Polson	Su M	T 2IP Code 59860	City Po:	lson	State MT	71P Code 59860
Telephone No. 112140 (406) 883-3448			Telephone (406	No.linclude Area Codel) 883-3448		
2 This application is f	or:	AM	X FM	П	`V	
(a) Channel No. or	Frequency			City		State
292		(b) Princ		lispell		MT
(c) Check one of th	e following box	es.				
X Application i	or NEW station					
MAJOR chan	ge in licensed fa	cilities call sign:	000 000000000000000000000000000000000			
MINOR chan	ge in licensed fa	cilities call sign:	PPO alpas passas espassas quadrum h re a		***************************************	
MAJOR modi	fication of consti	ruction permit; call s	rign:			
File No. of co	nstruction permi	t: .,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				
MINOR modif	fication of consti	uction permit; call s	sign:		***************************************	
File No. of co	nstruction permi	t				
AMENDMENT	to pending applic	ation; Application f	ile number			
	•	=		led application. Should ain the amended infor		however, pleas
3. is this application	mutually exclus	ive with a renewal	application?			Yes X No
If Yes, state:	Call letters		Community	of License		
		I City			State !	

6. List the applicant parties to the application and non-party equity owners in the applicant. Use one column for each individual or entity. Attach additional pages if necessary.

. Read carefully - The numbered items below refer to line numbers in the following table.)

- Name and residence of the applicant and, if applicable, its officers, directors, stockholders, or partners (!f other than individual also show name, address and citizenship of natural person authorized to vote the stock). List the applicant first, officers next, then directors and, thereafter, remaining stockholders and partners.
- 2 Cltizenship.
- 3. Office or directorship held.
- 4. Number of shares or nature of partnership interests.
- 5. Number of votes.

- 6. Percentage of votes.
- Other existing attributable interests in any broadcast station, including the nature and size of such interests.
- 8. All other ownership interests of 5% or more (whether or not attributable), as well as any corporate officership or directorship, in broadcast, cable, or newspaper entities in the same market or with overlapping signals in the same broadcast service, as described in 47 C.F.R. Section 73.3555 and 76.501, including the nature and size of such interests and the positions held.

		•.	
1.	Tom Seabase P.O. Box 1407 Polson, MT 59860		
	:		
2	US		
3.	Owner		
٤.	. 100%	-	
5.	1		
6.	100%		
7.	none		
8.	none		_

Section 11 - LEGAL QUA Name of Applicant	ALIFICATIONS	

1. Applicant is teheck one bea	belew)	
X Individual	General partnership For-profit corporation	·
Other	Limited partnership Not-for-profit corporation	
• •	ncorporated association or a legal entity other than an individual, describe in an Exhibit the nature of the application.	Exhibit No.
applicant" are defined in the each "party to this applicate if the applicant considers	tt" "parties to this application," and "non-party equity owners in the he instructions for Section II of this form. Complete information as to ion" and each "non-party equity owner in the applicant" is required. that to furnish complete information would pose an unreasonable at the Commission waive the strict terms of this requirement with	
enabling charter (e.g., a lin	individual, provide the date and place of filing of the applicant's nited partnership must identify its certificate of limited partnership ntify its articles of incorporation by date and place of filing):	
Date	Place	
applicant shall include the case of a partnership, the	requirement that the enabling charter be filed with the state, the enabling charter in the applicant's public inspection file. If, in the enabling charter does not include the partnership agreement itself, a copy of the agreement in the applicant's public inspection file.	
instruments identified in r in the applicant, including	nstruments, contracts or understandings (written or oral), other than response to Question 3 above, relating to future ownership interests but not limited to, insulated limited partnership shares, nonvoting stock ownership interests, options, rights of first refusal, or	Yes X No
	Exhibit all such written documents, instruments, contracts, or e the particulars of any oral agreement.	Exhibit No.
5. Complete, if applicable, the f	Collowing certifications:	
• •	at no limited partner will be involved in any material respect in the ion of the proposed station.	XX Y •• No
	complete Question 6 below with respect to all limited partners ne media activities of the partnership.	
trust department of a	company (as defined in 15 U.S.C. Section \$0 a-31, insurance company, or my bank have an aggregated holding of greater than 5% but less adding votes of the applicant?	Yes 😿 No
the control of the co	ies that the entity holding such interest exercises no influence or cant, directly or indirectly, and has no representatives among the of the applicant.	Yes No

7	 Does the applicant, any party to the application or any non-party equity owner in the applicant have, or have they had, any interest in: 	
	(a) a broadcast station, or pending broadcast station application before the Commission?	Yes X No
	(b) a broadcast application which has been dismissed with prejudice by the Commission?	☐ Yes X No
	(c) a broadcast application which has been denied by the Commission?	Yes X No
	(d) a broadcast station, the license of which has been revoked?	Yes X No
	(e) a broadcast application in any pending or concluded Commission proceeding which left unresolved character issues against the applicant?	Yes X No
	If the answer to any of the questions in (a)-(e) above is Yes, state in an Exhibit the following information:	Exhibit No.
	(1) Name of party having interest;	•
	(2) Nature of interest or connection, giving dates: (3) Call letters of stations or file number of application or docket; and (4) Location.	
8.	(a) Are any of the parties to the application or non-party equity owners in the applicant related (as husband, wife, father, mother, brother, sister, son or daughter) to each other?	Yes XX No
	(b) Does any member of the immediate family (i.e., husband, wife, father, mother, brother, sister, son or daughter) of any party to the application or non-party equity owner in the applicant have any interest in or connection with any other broadcast station, pending broadcast application or newspaper in the same area (see Section 73.3555(c)) or, in the case of a television station applicant only, a cable television system in the same area (see Section 78.501(a))?	Yes X No
	If the answer to (a) or (b) above is Yes, attach an Exhibit giving full disclosure concerning the persons involved, their relationship, the nature and extent of such interest or connection, the file number of such application, and the location of such station or proposed station.	Exhibit No.
9 .	State in an Exhibit any interest the applicant or any party to this application proposes to divest in the event of a grant of this application.	Exhibit No.
	OTHER MASS MEDIA INTERESTS	
10.	(a) Do individuals or entities holding nonattributable interests of 5% or more in the applicant have an attributable ownership interest or corporate officership or directorship in a broadcast station, newspaper or CATV system in the same area? (See Instruction 2 to Section 11.1)	Yes X No
	(b) Does any member of the immediate family (i.e., husband, wife, father, mother, brother, sister, son or daugther) of an individual holding a nonattributable interest of 5% or more in the applicant have any interest in or connection with any other broadcast station, pending broadcast application, newspaper in the same area (see Section 73.3555(c)), or, in the case of a television station applicant only, a cable television system in the same area (see Section 75.501(a))?	Yes X No
	If the answer to (a) and/or (b) above is Yes, attach an Exhibit giving a full disclosure concerning the persons involved, their relationship, the nature and extent of such interest or connection, the file number of such application, and the location of such station or proposed station.	Exhibit No.

FCC 301 (Page 4)

and a description of the current status or disposition of the matter.

CITIZENSHIP AND OTHER STATUTORY REQUIREMENTS

11. (a	U is the applicant in violation of the provisions of Section 610 of the Communications Act of 1934, as amended, relating to interests of aliens and foreign governments? (See Instruction Control of the Section 11.)	У ∞ (Х) и
(E	o) Will any funds, credits or other financial assistance for the construction, purchase or operation of the station(s) be provided by aliens, foreign entities, domestic entities controlled by aliens, or their agents?	Yes X N
	If the answer to (b) above is Yes, attach an Exhibit giving full disclosure concerning this assistance.	Exhibit No.
12. (a	Has an adverse finding been made or an adverse final action been taken by any court or administrative body as to the applicant, any party to this application, or any non-party equity owner in the applicant in a civil or criminal proceeding brought under the provisions of any law related to the following:	
	Any felony; broadcast related antitrust or unfair competition; criminal fraud or fraud before another governmental unit; or discrimination?	Yes X N
(b	o) is there now pending in any court or administrative body any proceeding involving any of the matters referred to in (a) above?	Yes X N
co ad	the answer to (a) and/or (b) above is Yes, attach an Exhibit giving full disclosure encerning persons and matters involved, including an identification of the court or iministrative body and the proceeding (by dates and flie numbers), a statement of the facts on which the proceeding is or was based or the nature of the offense alleged or committed,	Exhibit No.

SECTION III - FINANCIAL QUALIFICATIONS

NOTE if this application is for a change in an operating facility do not fill out this section.

I. The applicant certifies that sufficient net liquid assets are on hand or that sufficient funds are available from committed sources to construct and operate the requested facilities for three months without revenue.

XX Yes No

2. State the total funds you estimate are necessary to construct and operate the requested facility for three months without revenue.

120,000.00

3 identify each source of funds including the name, address, and telephone number of the source (and a contact person if the source is an entity), the relationship (if any) of the source to the applicant, and the amount of funds to be supplied by each source.

		:	
Source of Funds (Name and Address)	Telephone Number	Relationship	Amount
Tom P. Seabase P.O. Box 1407 Polson, MT 59860	(406) 883-3448	Owner	\$50,000.00
Thomas M. Seabase P.O. Box B Polson, MT 59860	(406) 883–5759	Father	\$70,000.00
		-	
-	·		

Section IV-A - PROGRAM SERVICE STATEMENT

Attach as an Exhibit, a brief description, in narrative form, of the planned programming service relating to the issues of public concern facing the proposed service area.

Exhibit No.

Section IV-B - INTEGRATION STATEMENT

Attach as an Exhibit the information required in L and 2 below.

Exhibit No.

- 1. List each principal of the applicant who, in the event of a grant of the application on a comparative basis proposes to participate in the management of the proposed facility and, with respect to each such principal, state whether he or she will work full-time (minimum 40 hours per week) or part-time (minimum 20 hours per week) and briefly describe the proposed position and duties.
- 2. State with respect to each principal identified in response to item i, above, whether the applicant will claim qualitative credit for any of the following enhancement factors:
 - (a) Minority Status
 - (b) Past Local Residence
 - If Yes specify whether in the community of license or service area and the corresponding dates.
 - (c) Female Status
 - (d) Broadcast Experience

If Yes, list each employer and position and corresponding dates.

(e) Daytime Preference

SECTION IV-A- PROGRAM SERVICE STATEMENT

We plan to implement feature programs daily and weekly that listeners can listen to on a regular basis. These programs will cover the following topics.

Exciting programs that cover Public Service Announcements such as local scholastic and performing arts events and activities, and local commerce issues such as new businesses will be broadcast.

Local governmental issues and meetings will also be covered and because of the large influence of Native Americans in the local area, Indian Affairs events and activities will be covered.

Religous programming will also be offered on Sunday morning.

Tourism is a large part of our local economy therefore points of interest, vacation locations and recreational information will be provided.

Time will also be provided to the public as an open forum to discuss local issues facing the area,

SECTION IV-B- INTEGRATION STATEMENT

1. Tom Seabase

General Manager (part-time)

DUTIES

Tom will oversee the areas of personnel and financial management. He will provide and establish station sales, programming and production goals. He will also promote community interaction with the station.

2. (b) Past Local Residence

A resident of the service area from 1974-1991 (present)

sceral Communications Commission /asnington, D.C. 20554

BROADCAST EQUAL EMPLOYMENT OPPORTUNITY MODEL PROGRAM REPORT

1. APPLICANT	
Name of Applicant	Address
Tom Seabase	P.O. Box 1407 Polson, Montana 59860
Telephone Number (include area code)	7
(406) 883-3448	
2. This form is being submitted in conjunction with:	
Application for Construction Permit for New Station	Application for Assignment of License
Application for Transfer of Control (a) Call letters (or channel number of frequency) (b) Community of License (city and state) (C) Service: AM X FM TV	Other (Specify)
INSTRL	UCTIONS
persons and to refrain from discrimination in employment and related text. See Section 73,2080 of the Commission's Rules. Pursuant to the nore full-time employees must establish a program designed to assure that is, Blacks not of Hispanic origin, Asians or Pacific Islanders, Ameloo the Commission as the Model EEO Program. If minority group represent aggregate), a program for minority group members is not required the EEO model program. However, a program must be filed for won treatlabor forces. If an applicant proposes to employ fewer than five teed be filed.	nese requirements, an applicant who proposes to employ five or re equal employment opportunity for women and minority groups erican Indians or Alaskan Natives and Hispanics). This is submitted isentation in the available labor force is less than five percent (in d. In such cases, a statement so indicating must be set forth in men since they comprise a significant percentage of virtually all
Guidelines for a Model EEO Program	and a Model EEO Program are attached.
NOTE: Check appropriate box, sign the certification below and retu	urn to FCC:
Station will employ fewer than 5 full-time employees; therefor	pre no written program is being submitted.
Station will employ 5 or more full-time employees. Our Mod sections of this form.)	del EEO Program is attached. (You must complete all
certify that the statements made herein are true, complete, and corre n good faith.	ct to the best of my knowledge and belief, and are made
Signed and dated thi	s 25 day of September , 19 91
Signed Title Owner	8C

WILLFUL FALSE STATEMENTS MADE ON THIS FORM ARE PUNISHABLE BY FINE AND IMPRISONMENT. U.S. CODE, TITLE 18, SECTION 1001.

W. LEE SIMMONS & ASSOC., INC.

BROADCAST TELECOMMUNICATIONS CONSULTANTS 1036 WILLIAM HILTON PARKWAY, SUITE 200F HILTON HEAD ISLAND, S.C. 29928

803-785-4445

ENGINEERING EXHIBIT EE:

TON SEABASE
KALISPELL, NOMTANA
Ch. 292A 1.9 KW 126 M HAAT
(414 FEET)

SEPTEMBER 24,1991

ENGINEERING STATEMENT IN SUPPORT OF

AN APPLICATION FOR A

NEW FM STATION

ENGINEERING EXHIBIT EE:

TOM SEABASE KALISPELL, MONTANA Ch. 292A 1.9 KW 126 M HAAT (414 FEET)

TABLE OF CONTENTS:

- 1. Declaration of Engineer
- 2. F.C.C. Form 301, Section V-B.
- 3. Narrative Statement.
- 4. Figure 1, Topographic Map Showing Proposed Site.
- 5. Figure 2, Map Showing Proposed Contours.
- 6. Figure 2-A, Tabulation of Proposed Contours. (Metric Units)
- 7. Figure 2-B, Tabulation of Proposed Contours. (English Units)
- 8. Figure 3, Vertical Tower Sketch.
- 9. Figure 4, Channel Allocation.

STATE OF SOUTH CAROLINA)	
COUNTY OF BEAUFORT	{	SS
HILTON HEAD ISLAND)	

W. Lee Simmons being first duly sworn upon oath, deposes and states that is he a Broadcast Telecommunications Consultant in the State of South Carolina, that his qualifications are known to the Federal Communictaions Commission, and that his firm has been retained by Tom Seabase to prepare an engineering statement for application for construction permit for a new FM station at Kalispell, Montana.

He further states that under penalty of perjury the calculations, and exhibits were made by him personally, or under his direct supervision and all facts contained therein are true of his own knowledge, except where stated to be on information or belief, and as to those facts, he believes them to be true.

September 24, 1991

W. Lee Simmons

			FOR COMMISSION USE ONLY	
Section V-B - FM BROADCAST ENGINEERING DAT			File No.	-
			ASB Referral Date	_
			Referred by	
Name of Appli	cant			
	Tom Seabase			
Call letters (if	issued)	Is this application window?	n being filed in response to a X Yes	No
		If Yes, specify cl	losing date: September 26, 1991	
Purpose of Ap	plication: Icheck appropriate box	 es7		
X Constr	uct a new (main) facility		Construct a new auxiliary facility	
Modify facility	y existing construction permit	for main	Modify existing construction permit for auxiliar facility	y
Modif 3	y licensed main facility		Modify licensed auxiliary facility	
If purpose is to affected.	o modify, indicate below the	nature of change(s)	and specify the file number(s) of the authorizations	5
Anten	na supporting-structure heigh	at	Effective radiated power	
Anten	na height above average terr	ain	Frequency	
Anten	na location		Class	
Main S	Studio location		Other (Summerize briefly)	
		•		
File Numbe	r(s)			
1. Allocation:				
	·		Class Icheck only one box below	•/
Channel No.	Principal c	ommunity to be serv	ved: X A B1 B	一 c:
292	Kalispell	Flathe		
O F 1	0 1			
 Exact location Specify additional and mark. 		'no address, specify	distance and bearing relative to the nearest town	or
	.95 Kilometer NE of	Pleaent Point	t Lake, Montana	
			element of an AM array, specify coordinates of centitude or East Longitude where applicable, otherwis	
	ide or West Longitude will be		titude of past congitude where applicable, other wis	c ,
····	0 ,			
Latitude	48 10	34 Lon	ngitude 114 20 53	
3. Is the suppor application(s		at of another station	n(s) or proposed in another pending X Yes	No.
If Yes, give	call letter(s) or file number(s)	or both. <u>K2</u>	240BT	
If proposed	involves a change in height o	of an avieting ethication	ure, specify existing height above ground level inc	- المرور
	other appurtenances, and lig	hting if any.		iudin
	_	Exs	sisting tower, no changes	

If Yes, give date and office where notice was filed and attach as an Exhibit a copy of FAA determination, if available. DateOffice whore filed	Latitude		Longitude	0	•	
E. List all landing areas within 8 km of antenna site. Specify distance and bearing from structure to nearest point of nearest runway. Landing Area Distance (km) Bearing (degrees True) (a) Kalispell City Airport 2.5km 45 (b) 7. (a) Elevation: (to the nearest ester) (i) of site above mean sea level; (2) of the top of supporting structure above ground (including antenna, all other appurtenances, and lighting, if any); and (3) of the top of supporting structure above mean sea level; [(xX1) + (xX2)] (b) Height of radiation conter: (to the nearest ester) H. Horizontal; V. Vertical (1) above ground 34 meters (2) above mean sea level; [(xX1) + (bX1)] 1169 meters (3) above average torrain Rounded 126 meters (3) above average torrain Rounded 126 meters (4) A Attach as an Exhibit sketch(es) of the supporting structure, labelling all elevations required in Question 7 above, except item 7th(3). If mounted on an AM directional-array element, specify heights and orientations of all array towers, as well as location of FM radiator. Effective Radiated Power: (a) ERP in the horizontal plane 1 9 kw (H) 1 9 kw (V) Yes X 1 Exhibit No.	If Yes, give date and office where notice was determination, if available.	s filed and	attach as an Exhi			
Landing Area Distance (km) Bearing (degrees True)	Date Office w	vnere ille <u>d</u>				
(a) Kalispell City Airport 2.5km 45 (b) (c) (c) (d) Elevation: (to the necessit seter) (l) of site above mean sea level: (2) of the top of supporting structure above ground (including antenna, all other appurtenances, and lighting, if any); and (3) of the top of supporting structure above mean sea level: [(aX1) + (aX2)] 11.75 meters (b) Height of radiation content: (to the necessit seter) H - Horizontal; V - Vertical (l) above ground 34 meters (2) above mean sea level: [(aX1) + (bX1)] 1169 meters (3) above average terrain Rounded 126 meters (4) above average terrain Rounded 126 meters (5) above average terrain Rounded 126 meters (6) at a meters at the necessity of the supporting structure, labelling all elevations required in Question 7 above, except item 7(b)(3). If mounted on an AM directional-array element, specify heights and orientations of all array towers, as well as location of FM radiator. Effective Radiated Power: (a) ERP in the horizontal plane 1.9 kw (H+) 1.9 kw (V+) (b) is beam tilt propoced? Yes X in the fibilit No.		a site. Speci	fy distance and b	earing from struc	cure to neare	est point of t
(b) 7. (a) Elevation: (to the neveri ester) (i) of site above mean sea level; (2) of the top of supporting structure above ground (including antenna, all other appurtenances, and lighting, if any); and (3) of the top of supporting structure above mean sea leve; [(aX1) + (aX2)] (b) Height of radiation conter: (to the neveral ester) H - Horizontal; V - Vertical (i) above ground (2) above mean sea level [(aX1) + (bX1)] (3) above average terrain (4) above average terrain (5) above average terrain (6) above average terrain (7) above except liem 7(bX3). If mounted on an AM directional array element, specify heights and orientations of all array towers, as well as location of FM radiator. (8) Effective Radiated Power: (a) ERP in the horizontal plane (b) Is beam tilt proposed? (c) Exhibit No. [EXTENDITED IN PROPOSED IN PROPOS	Landing Area	Dis	stance (km)	Ве	aring (degree	s True)
(2) of the top of supporting structure above ground (including antenna, all other appurtenances, and lighting, if any); and (3) of the top of supporting structure above mean sea level [(aX1) + (aX2)]	(a) Kalispell City Airport		2.5km	4	5	
(1) of site above mean sea level: (2) of the top of supporting structure above ground (including antenna, all other appurtenances, and lighting, if any); and (3) of the top of supporting structure above mean sea level [(aX1) + (aX2)] (4) above ground (5) Above ground (6) Above ground (7) above mean sea level [(aX1) + (bX1)] (8) above mean sea level [(aX1) + (bX1)] (9) above average terrain (10) above average terrain (11) above average terrain (12) above average terrain (13) above average terrain (14) above average terrain (15) above average terrain (16) above average terrain (17) above average terrain (18) above average terrain (19) above average terrain (10) above average terrain (10) above average terrain (11) above average terrain (11) above average terrain (12) above average terrain (20) above average terrain (31) above average terrain (41) above average terrain (5) above average terrain (6) above average terrain (7) above average terrain (8) above average terrain (9) above average terrain (11) above average terrain (12) above average terrain (13) above average terrain (14) above average terrain (15) above average terrain (16) above average terrain (17) above average terrain (18) above average terrain (19) above average terrain (10) above average terrain (11) above average terrain (11) above average terrain (15) above average terrain (16) above average terrain (17) above average terrain (18) above average terrain (19) above average terrain (10) above average terrain (10) above average terrain (11) above average terrain (11) above average terrain (11) above average terrain (12) above average terrain (23) above average terrain (34) ameters average terrain (40) above average terrain (5) above average terra	(b)					
(2) of the top of supporting structure above ground (including antenna, all other appurtenances, and lighting, if any); and (3) of the top of supporting structure above mean sea level [(aX1) + (aX2)] (b) Height of radiation center: (to the negrest exter) H - Herizontal; V - Vertical (1) above ground 34 meters (2) above mean sea level [(aX1) + (bX1)] 1169 meters (3) above average terrain Rounded 126 meters (4) above average terrain Rounded 126 meters (5) attach as an Exhibit sketch(es) of the supporting structure, labelling all elevations required in question 7 above, except item %bX3). If mounted on an AM directional-array element, specify heights and erientations of all array towers, as well as location of FM radiator. 2) Effective Radiated Power: (a) ERP in the horizontal plane 1 9 kw (H-) 19 kw (V-) Yes X 1 Exhibit No.	7. (a) Elevation: (to the nearest meter)					
appurtenances, and lighting, if any); and (3) of the top of supporting structure above mean sea level [(aX1) + (aX2)]	(1) of site above mean sea level;				1135	meters
(3) of the top of supporting structure above mean sea level [(a\(1) + (a\(2) \)] meters (b) Height of radiation center: (to the nearest seter) H - Horizontal; V - Vertical (1) above ground 34 meters (2) above mean sea level [(a\(1) + (b\(1) \)] 1169 meters (3) above average terrain Rounded 126 meters (4) above average terrain Rounded 126 meters (5) above average terrain Rounded 126 meters (6) above average terrain Rounded 126 meters (6) above average terrain Rounded 126 meters (6) above average terrain Rounded 126 meters (7) attach as an Exhibit sketch(es) of the supporting structure, labelling all elevations required in Question 7 above, except item 7(b)(3). If mounted on an AM directional-array element, specify heights and orientations of all array towers, as well as location of FM radiator. (a) Effective Radiated Power: (a) ERP in the horizontal plane 1.9 kw (H*) 1.9 kw (V*) (b) Is beam tilt proposed? Yes X 1			ncluding antenna	, all other	40	meters
(2) above mean sea level [(aX1) + (bX1)] 1169 meters (3) above average torrain Rounded Rounded 126 meters Attach as an Exhibit sketch(es) of the supporting structure, labelling all elevations required in Question 7 above, except item 7(b)(3). If mounted on an AM directional-array element, specify heights and orientations of all array towers, as well as location of FM radiator. Effective Radiated Power: (a) ERP in the horizontal plane 1.9 kw (H-) 1.9 kw (V-) (b) Is beam tilt proposed? Yes X 1 If Yes, specify maximum ERP in the plane of the tilted beam, and attach as an Exhibit a Exhibit No.			level [(aX1) + (a	X2)]	1175	meters
(2) above mean sea level [(aX1) + (bX1)] 1169 meters (3) above average torrain Rounded 126 meters Rounded 126 meters Attach as an Exhibit sketch(es) of the supporting structure, labelling all elevations required in Question 7 above, except item 7(b)(3). If mounted on an AM directional-array element, specify heights and orientations of all array towers, as well as location of FM radiator. Effective Radiated Power: (a) ERP in the horizontal plane 1.9 kw (H*) 1.9 kw (V*) (b) Is beam tilt proposed? Yes X in If Yes, specify maximum ERP in the plane of the tilted beam, and attach as an Exhibit a Exhibit No.	(b) Height of radiation center: Its the nearest	eeter) H = 1	Horizonial; V - Ver	rtical		
(2) above mean sea level [(aX1) + (bX1)] 1169 meters (3) above average torrain Rounded 126 meters Rounded 126 meters A Attach as an Exhibit sketch(es) of the supporting structure, labelling all elevations required in Question 7 above, except item 7(b)(3). If mounted on an AM directional-array element, specify heights and orientations of all array towers, as well as location of FM radiator. Effective Radiated Power: (a) ERP in the horizontal plane 1.9 kw (H-) 1.9 kw (V-) (b) Is beam tilt propoced? Yes X 1 If Yes, specify maximum ERP in the plane of the tilted beam, and attach as an Exhibit a Exhibit No.	(1) above ground				34	_ meters (H
(3) above average torrain Rounded 126 meters Rounded 126 meters Attach as an Exhibit sketch(es) of the supporting structure, labelling all elevations required in Question 7 above, except item 7(b)(3). If mounted on an AM directional-array element, specify heights and orientations of all array towers, as well as location of FM radiator. Effective Radiated Power: (a) ERP in the horizontal plane 1.9 kw (H-) 1.9 kw (V-) (b) Is beam tilt proposed? Yes X					34	meters (V
(3) above average torrain Rounded 126 meters Rounded 126 meters Attach as an Exhibit sketch(es) of the supporting structure, labelling all elevations required in Question 7 above, except item 7(b)(3). If mounted on an AM directional-array element, specify heights and orientations of all array towers, as well as location of FM radiator. Effective Radiated Power: (a) ERP in the horizontal plane 1.9 kw (H-) 1.9 kw (V-) (b) is beam tilt proposed? Yes X	(2) above mean sea level [(aX1) + (bX1)]	I			1169	meters (H
Rounded 126 meters Attach as an Exhibit sketch(es) of the supporting structure, labelling all elevations required in Question 7 above, except item 7(b)(3). If mounted on an AM directional-array element, specify heights and orientations of all array towers, as well as location of FM radiator. Effective Radiated Power: (a) ERP in the horizontal plane 1.9 kw (H*) 1.9 kw (V*) (b) is beam tilt proposed? Yes X 1 If Yes, specify maximum ERP in the plane of the tilted beam, and attach as an Exhibit a Exhibit No.		ž .			1169	meters (V
Attach as an Exhibit sketch(es) of the supporting structure, labelling all elevations required in Question 7 above, except item 7(b)(3). If mounted on an AM directional-array element, specify heights and orientations of all array towers, as well as location of FM radiator. Effective Radiated Power: (a) ERP in the horizontal plane 1.9 kw (H=) 1.9 kw (V=) (b) Is beam tilt proposed? Yes X	(3) above average torrain			Rounded	126	_ meters (H
in Question 7 above, except item 7(b)(3). If mounted on an AM directional-array element, specify heights and orientations of all array towers, as well as location of FM radiator. 2. Effective Radiated Power: (a) ERP in the herizontal plane 1.9 kw (H=) 1.9 kw (V=) (b) Is beam tilt proposed? Yes X		•		Rounded	126	_ meters (V
(a) ERP in the horizontal plane 1.9 kw (H*) 1.9 kw (V*) (b) Is beam tilt proposed? Yes X If Yes, specify maximum ERP in the plane of the tilted beam, and attach as an Exhibit a Exhibit No.	in Question 7 above, except item 7(b)(3). If mo	unted on ar	AM directional-a	rray element,		
1.9 kw (H*) 1.9 kw (V*) (b) Is beam tilt proposed? If Yes, specify maximum ERP in the plane of the tilted beam, and attach as an Exhibit a Exhibit No.	Effective Radiated Power:					
(b) is beam tilt proposed? Yes X If Yes, specify maximum ERP in the plane of the tilted beam, and attach as an Exhibit a Exhibit No.	(a) ERP in the horizontal plane	1.9	_ kw (H=) 1	9 kw (V*)		
	(b) Is beam tilt proposed?					Yes X No
· vi vivai viv vistatidi biot at täätävaa taim .	If Yes, specify maximum ERP in the plane vertical elevational plot of radiated field.	of the tilted	i beam, and attach	as an Exhibit a	Exh	ibit No.

SECTION V-B - FM BROADCAST ENGINEERING DATA (Page 3)

10.	Is a directional antenna proposed?	Yes X No
	If Yes, attach as an Exhibit a statement with all data specified in 47 C.F.R. Section 73.316, including plot(s) and tabulations of the relative field.	Exhibit No.
11.	Will the proposed facility satisfy the requirements of 47 C.F.R. Sections 78.815(a) and (b)?	X Yes No
	If No, attach as an Exhibit a request for waiver and justification therefor, including amounts and percentages of population and area that will not receive 3.16 mV/m service.	Exhibit No.
12	Will the main studio be within the protected 3.16 mV/m field strength contour of this proposal?	X Yes No
	If No. attach as an Exhibit justification pursuant to 47 C.F.R. Section 73.1125.	Exhibit No.
13.	(a) Does the proposed facility satisfy the requirements of 47 C.F.R. Section 73.207?	X Yes No
	(b) If the answer to (a) is No, does 47 C.F.R. Section 78.213 apply?	Yes No
	(c) If the answer to (b) is Yes, attach as an Exhibit a justification, including a summary of previous waivers.	Exhibit No.
	(d) If the answer to (a) is No and the answer to (b) is No, attach as an Exhibit a statement describing the short spacing(s) and how it or they arose.	Exhibit No.
	(e) If authorization pursuant to 47 C.F.R. Section 73.2:5 is requested, attach as an Exhibit a complete engineering study to establish the lack of prohibited overlap of contours involving affected stations. The engineering study must include the following:	Exhibit No.
	 Protected and interfering contours, in all directions (380°), for the proposed operation. Protected and interfering contours, over pertinent arcs, of all short-spaced assignments, applications and allotments, including a plot showing each transmitter location, with identifying call letters or file numbers, and indication of whether facility is operating or proposed. For vacant allotments, use the reference coordinates as the transmitter location. 	
	 (3) When necessary to show more detail, an additional allocation study utilizing a map with a larger scale to clearly show prohibited overlap will not occur. (4) A scale of kilometers and properly labeled longitude and latitude lines, shown across the entire exhibit(s). Sufficient lines should be shown so that the location of the sites may be verified. 	
	(5) The official title(s) of the map(s) used in the exhibits(s).	
14.	Are there: (a) within 60 meters of the proposed antenna any proposed or authorized FM or TV transmitters, or any nonbroadcast (except citizens bend or exeteur) radio stations, or (b) within the blanketing contour, any established commercial or government receiving stations, cable head-end facilities, or populated areas; or (c) within ten (10) kilometers of the proposed antenna, any proposed or authorized FM or TV transmitters which may produce receiver-induced intermodulation interference?	X Yes No
	If Yes, attach as an Exhibit a description of any expected, undesired effects of operations and remedial steps to be pursued if necessary, and a statement accepting full responsibility for the elimination of any objectionable interference (including that caused by receiver-induced or other types of modulation) to facilities in existence or authorized or to radio receivers in use	Exhibit No.

prior to grant of this application. (See 47 C.F.R. Sections 73,315(b), 73,316(e) and 73,318.)

15. Attach as an Exhibit a 7.5 minute series U.S. Geological Survey topographic quadrangle may that shows clearly, legibly, and accurately, the location of the proposed transmitting antenna This map must comply with the requirements set forth in Instruction V. The map must further clearly and legibly display the original printed contour lines and data as well as latitude and longitude markings, and must bear a scale of distance in kilometers.	EE
16. Attach as an Exhibit (ness the secree) a map which shows clearly, legibly, and accurately, and with the original printed latitude and longitude markings and a scale of distance in kilometers:	1 66 1
(a) the proposed transmitter location, and the radials along which profile graphs have been prepared;	1
(b) the 3.16 mV/m and 1 mV/m predicted contours; and	
(c) the logal boundaries of the principal community to be served.	
7. Specify area in square kilometers (1 sq. mi 259 sq. km.) and population (latest census) within the predicted 1 mV/m contour.	,
Area 2,328 sq. km. Population 46,231	
8. For an application involving an auxiliary facility only, attach as an Exhibit a map (Sectional Aeronoutical Chart or equivalent) that shows clearly, legibly, and accurately, and with latitude and longitude markings and a scale of distance in kilometers.	Exhibit No.
(a) the proposed auxiliary 1 mV/m contour; and	
(b) the 1 mV/m contour of the licensed main facility for which the applied-for facility will be auxiliary. Also specify the file number of the license.	
9. Terrain and coverage data (to be calculated in accordance with 47 C.F.R. Section 73.313)	
Source of terrain data: (check only one box below)	
X Linearly interpolated 30-second database 75 minute topographic map	
(Source: NGDC	
Other (briefly summerize)	

	Height of radiation center above average	Predicted Distances				
Radial bearing (degrees True)	elevation of radial from 8 to 16 km (meters)	To the 3.16 mV/m contour (kilometers)	To the 1 mV/m contour (kilometers)			
*						
0	HAAT BASED ON 8	BEARINGS See Exhibi	t 2-A			
45						
90						
135						
180						
225						
270	•					
315	·					

^{*}Radial through principal community, if not one of the major radials. This radial should NOT be included in the calculation of HAAT.

20.	Environmental	Statement/See	47 C.F.R.	Section	1,1301	et sea	.1
-----	---------------	---------------	-----------	---------	--------	--------	----

Would a Commission grant of this application come within Section 1.1307 of the FCC Rules, such that it may have a significant environmental impact?	Yes X N
If you answer Yes, submit as an Exhibit an Environmental Assessment required by Section 1.1311	. Exhibit No. EE
If No. explain briefly why not Existing tower does not exceed 1.1311.	NSI Study

CERTIFICATION

I certify that I have prepared this Section of this application on behalf of the applicant, and that after such preparation, I have examined the foregoing and found it to be accurate and true to the best of my knowledge and belief.

Name (Typed or Printed) W. Lee Simmons	Relationship to Applicant (e.g., Consulting Engineer) Consulting Engineer
Signature W. Lee dimnons	Address (Include 21F tode) 1036 William Hilton Pky suit 200F Hilton Head Is S.C. 29928
Date	Telephone No. (Include Area Code)
September 24, 1991	(803) 785-4445

W. LEE SIMMONS & ASSOC., INC.

BROADCAST TELECOMMUNICATIONS CONSULTANTS 1036 WILLIAM HILTON PARKWAY, SUITE 200F HILTON HEAD ISLAND, S.C. 29928

803-785-4445

ENGINEERING EXHIBIT EE:

TOM SEABASE
KALISPELL, MONTANA
Ch. 292A 1.9 KW 126 H HAAT
(414 FEET)

NARRATIVE STATEMENT:

I. GENERAL:

This engineering statement has been prepared on behalf of Tom Seabase. The purpose of this statement is to request a Construction Permit to build a new FM broadcast facility on Channel 292A at Kalispell, Montana, which will operate with an ERP of 1.9 KW and an HAAT of 126 Meters (414 Feet).

The application is filed in response to a Public Notice for a window which closes on September 26, 1991.

The application is not a major environmental action, as defined by Section $1.\overline{1307}$ of the Commission's Rules. The proposed facility is in full compliance with the FCC / ANSI Radiation Guidelines.

Answers to questions contained in F.C.C. Form 301, Section V-B, are incorporated in the following paragraphs and figures.

II. ENGINEERING DISCUSSION:

A. Proposed Location:

The applicant proposes to locate on the existing tower of K240BT. The tower is approximately 4 kilometers South of Kalispell, Montana. Figure 1 is a Topographic map showing the existing site. The geographic coordinates are:

Latitude: 48° 10′ 34" Longitude: 114° 20′ 53"

B. Antenna System and Tower:

A dual polarized 3-bay FM antenna will be side mounted near the top of the existing tower which has an overall height of 40 Meters AGL (includes lighting). The antenna will have a center of radiation of 34 Meters AGL or 1169 Meters AMSL. Figure 3 is a sketch of the proposed tower. The antenna has a non-directional power gain of 1.55 H/V.

The antenna will be fed by 22 Meters (75 Feet) of 1 5/8"" coaxial cable, with a rated efficiency of 95.3 percent for this length.

C. Transmitter:

The applicant plans to install a type accepted 3 KW FM transmitter. The transmitter will be operated at 1.29 KW which is within its rated power.

D. Effective Radiated Power:

Giving consideration for the maximum antenna gain, transmitter power and line loss, the maximum Effective Radiated Power is 1.9 KW for the Horizontal and 1.9 KW for the Vertical Component.

A Class-A FM station with 322 kilometers of the Canadian Border is restricted to a maximum of 3.0 KW (ERP) up to a maximum Height Above Average Terrain (HAAT) of 100 Meters. This proposal will operate with an HAAT that exceeds the maximum and consequently must reduce its ERP in order to obtain equivalent coverage within the 1.0 mV/M contour. The closest part of the Canadian Border is 91.6 kilometers away on a bearing of N-0-E.

Since the station is within 322 kilometers of the Canadian Border the equivalent interference curves have also been used.

Using the curve, it was determined that 1.9 KW at an HAAT of 126 Meters is equivalent to the maximum normally allowed.

E. Auxiliary Power:

The applicant proposes to install an Auxiliary Power Generator to supply electrical power to their proposed studio and transmitter sites.

F. Channel Allocation:

The proposed site is in accordance with the required mileage separations as set forth in Section 73.207(a) and protects the Canadian channels to it full Class B1 requirement. Figure 4 is a channel allocation study from the proposed site.

G. Terrain Profile Data & Coverage:

Terrain profile data was extracted from NGDC 30 Second Digitized Terrain Data Base provided out of Boulder, Colorado. Twenty-four bearings (every 15 degrees) were used but, the standard eight bearings (every 45 degrees) were used to obtain the proposed HAAT.

The predicted service contours, as shown in Figure 2 of the attached report, were computed using a mathematical model adapted for computer use of the data shown in Figure 1 of Section 73.333 (replacement of the Commission's Rules, the so-called "new" F(50,50) curves). This is the Commission's computer program TV FM FS REPORT RS-76-01, dated January 1976.

Figure 2-A & 2-B are tabulations of the distances to these contours in Metric Units (Meters/Kilometers) and in the traditional English Units (Feet/Miles) respectively.

H. Terrain Profile to City of License:

The N-45-E radial is the direct path to the City of License. From the proposed site the 3.16 mV/M City Grade Contour will completely encompass the City of License without major terrain obstruction.

I. Coverage Area and Population:

The area contained within the 60 dbu (1.0 mV/m) contour is 2,328 square kilometers (899 square miles) and has been computed mathematically.

The population within this contour is 46,231 persons and was obtained by assuming a uniform distribution of population within minor civil divisions & is based upon the 1980 Census.

J. FM Blanketing Contour:

The applicant recognizes it's obligation to resolve related interference complaints for a one year period within its 115 dBu "FM Blanketing Contour" as required by Section 73.318 of the FCC Rules.

The radius around the base of the tower in which Blanketing interference is possible is fairly small and is in a sparsely populated area. Given the height of the tower proposed, no problems are anticipated.

K. Other Services in Area:

There are NO known AM Broadcast Stations within 3.2 kilometers of the proposed site.

There are other transmitting facilities in the area however, based on the type of transmitter proposed, and the frequency & power involved no intermodulation problems with existing transmitting facilities would be expected. In the unlikely event some problems would occur, the applicant will correct such cases in accordance with the Commission's Rules.

L. Environmental Assessment Statement:

The applicant believes its proposal will not significantly effect the environment since it does not meet any of the criteria specified in Section 1.1307 of the rules. Specifically the proposed facility:

- 1. Will NOT be located in an officially designated wilderness area.
- 2. Will NOT be located in an officially designated wildlife preserve.
- 3. Will NOT affect districts, sited, buildings, structures or objects, significant in American history, architecture, archeology or culture, that are listed in the National Register of Historic Places or are eligible for such listing.
- 4. Will NOT be located in a floodplain.
- 5. Will $\overline{\text{NOT}}$ result in construction that will involve a significant change in the surface features (eg. wetland fill, deforestation or water diversion).
- 6. Will NOT involve the use of high intensity white lights on a structure located in a residential neighborhood, as defined by the applicable zoning laws.
- 7. Will NOT involve the exposure of workers or the general public to levels of radiofrequency radiation in excess of the "Radio Frequency Protection Guide" recommended by ANSI (C95-1-1982).